

Notice of Allowability

Applicati n No.

10/687,856

Examiner

Lisa N. Klaus

Applicant(s)

AMONETT ET AL.

Art Unit

2832

-- The MAILING DATE of this communication appears on the c ver sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to 10/17/03.
2. ☒ The allowed claim(s) is/are 1-7.
3. ☒ The drawings filed on 10/17/04 are accepted by the Examiner.
4. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) ☐ All b) ☐ Some* c) ☐ None of the:
 1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.

THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

5. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
6. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date _____.
 - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.

Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
7. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

1. ☒ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☒ Information Disclosure Statements (PTO-1449 or PTO/SB/08),
Paper No./Mail Date 10/17/03
4. ☐ Examiner's Comment Regarding Requirement for Deposit
of Biological Material
5. ☐ Notice of Informal Patent Application (PTO-152)
6. ☐ Interview Summary (PTO-413),
Paper No./Mail Date _____.
7. ☒ Examiner's Amendment/Comment
8. ☒ Examiner's Statement of Reasons for Allowance
9. ☐ Other _____.

DETAILED ACTION

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Claim 1:

- line 7, change "each cam-actuated switch" to --each of the cam-actuated switches--.
- line 8, change "at least one arm" to --at least one of the arms--.
- line 9, change "said switch" to --each of said plurality of cam-actuated switches--.
- line 13, change "at least one switch arm" to --at least one of the switch arms--.

Claim 2:

- lines 1 and 2, change "at least one switch arm" to --at least one of the switch arms.

Claim 3:

- line 1, change "each cam-actuated switch" to --each of the cam-actuated switches--.

Authorization for this examiner's amendment was given in a telephone interview with Mr. James A. Collins on 5/27/04.

Allowable Subject Matter

2. Claims 1-7 are allowable.

The following is an examiner's statement of reasons for allowance:

The prior art fails to show the timer for controlling an appliance comprising the contacting surface of at least one switch arm comprises a tear in the surface of the switch arm, and adjacent

Art Unit: 2832

the tear a first portion of the contact surface is deflected away from the surface of the switch arm in a first direction, wherein a sharp contact edge is created.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion


3. Any inquiry concerning this communication should be directed to Lisa Nhung Klaus whose telephone number is (571)272-1993, and whose fax number is 703-872-9306. In the event that I am not reached, you can contact my supervisor, Mr. Elvin G. Enad at (571)272-1990 or the tech center receptionist at (703) 308-1782.

LK

Lisa Nhung Klaus

Patent Examiner - Art Unit 2832

May 23, 2004


ELVIN ENAD
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 2800
5/31/04